

[Login](#) | [Register](#)**Blue M Lab Ovens**
Durable. Reliable. Efficient.[Publications](#) [Sections](#) [News](#) [Community](#) [Multimedia](#) [Awards](#) [Industry Guide](#) [Subscribe](#)[Advanced Search](#)[LABORATORY design](#)[Materials](#)[General Sciences](#)[Manufacturing](#)[Policy & Industry](#)[Energy](#)[Environment](#)[Life Sciences](#)[Information Tech](#)[Home](#) > [News](#)[RSS Feeds](#)[Newsletters](#)[Bookmark](#)[-] [Text](#) [+]

Glucose meters aren't just for diabetics anymore

Posted In: [R&D Daily](#) | [Analytical Science & Instruments](#) | [Biotechnology](#) | [Chemistry](#) | [Diagnostics](#) | [Genetic Engineering](#) | [Genomics & Proteomics](#) | [Technology](#) | [Chemistry](#) | [Biotechnology](#) | [Electronics](#) | [Scientific & Medical Instrumentation](#)

Monday, July 25, 2011

[In-depth R&D news and innovations - Sign up now!](#)

University of Illinois chemists coupled functional DNA sensors and glucose meters for fast, easy, portable detection of drugs, toxins, disease markers, and other molecules in blood, water, or food. Image: Li Huey Tan, Yu Xiang and Yi Lu

Glucose meters aren't just for diabetics anymore. Thanks to University of Illinois chemists, they can be used as simple, portable, inexpensive meters for a number of target molecules in blood, serum, water, or food.

Chemistry professor Yi Lu and postdoctoral researcher Yu Xiang published their findings in *Nature Chemistry*.

"The advantages of our method are high portability, low cost, wide availability, and quantitative detection of a broad range of targets in medical diagnostics and environmental monitoring," Lu says. "Anyone could use it for a wide range of detections at home and in the field for targets they may care about, such as vital metabolites for a healthy living, contaminants in their drinking water or food, or potential disease markers."

A glucose meter is one of the few widely available devices that can quantitatively detect target molecules in a solution, a necessity for diagnosis and detection, but only responds to one chemical: glucose. To use them to detect another target, the researchers coupled them with a class of molecular sensors called functional DNA sensors.

Functional DNA sensors use short segments of DNA that bind to specific targets. A number of functional DNAs and RNAs are available to recognize a wide variety of targets.

They have been used in the laboratory in conjunction with complex and more expensive equipment, but Lu and Xiang saw the potential for partnering them with pocket glucose meters.

The DNA segments, immobilized on magnetic particles, are bound to the enzyme invertase, which can catalyze conversion of sucrose (table sugar) to glucose. The user adds a sample of blood, serum, or water to the



Email Print

3

tweets

[retweet](#)[Share](#)

0

[Digg](#)

Advertisement



Latest News

[more](#)

Georgia Tech proposes Internet consumer nutrition label

2 hours ago

AOL launches personalized magazine app for iPad

3 hours ago

State health official says 1 salmonella death linked to ground turkey occurred in California

3 hours ago

APNewsbreak: Salmonella death found in Calif.

3 hours ago

Nobel-winning immunologist Benacerraf dies at 90

3 hours ago

Advertisement



functional DNA sensor to test for drugs, disease markers, contaminants, or other molecules. When the target molecule binds to the DNA, invertase is released into the solution. After removing the magnetic particle by a magnet, the glucose level of the sample rises in proportion to the amount of invertase released, so the user then can employ a glucose meter to quantify the target molecule in the original sample.

"Our method significantly expands the range of targets the glucose monitor can detect," says Lu, who also is affiliated with the Beckman Institute for Advanced Science and Technology and with the Frederick Seitz Materials Research Lab at U. of I. "It is simple enough for someone to use at home, without the high costs and long waiting period of going to the clinics or sending samples to professional labs."

The researchers demonstrated using functional DNA with glucose meters to detect cocaine, the disease marker interferon, adenosine and uranium. The two-step method could be used to detect any kind of molecule that a functional DNA or RNA can bind.

Next, the researchers plan to further simplify their method, which now requires users to first apply the sample to the functional DNA sensor and then to the glucose meter.

"We are working on integrating the procedures into one step to make it even simpler," Lu says. "Our technology is new and, given time, it will be developed into an even more user-friendly format."

Study abstract: [Using Personal Glucose Meters and Functional DNA Sensors to Quantify a Variety of Analytical Targets](#)

SOURCE: [University of Illinois at Urbana-Champaign](#)

SUBSCRIPTION CENTER

Magazine Newsletters

0 COMMENTS

Like 1 person liked this.

DISQUS

Add New Comment

Login



Please wait...

Showing 0 comments

Sort by popular now

[Subscribe by email](#) [RSS](#)

Reactions



Trackback URL

blog comments powered by DISQUS

New To Market

more



Tools & Technology

more



AT&T starts selling 'cell tower in a suitcase'

Infrared thermometer is non-contact



Apr 25

The Remote Mobility Zone can pack down to the size of a suitcase (plus satellite dish) and provide coverage on the go for up to 14 simultaneous calls, data rates at less-than-broadband speeds, and a range of half a mile. Designed primarily for disaster response, the towers may find a variety of uses where communication is needed.

Agilent Technologies launches industry's fastest logic analyzer

Apr 15

The new analyzer offers reliable data capture rates up to 4 Gb/s on the industry's smallest eye openings: 100 ps to 100 mV. The U4154A AXIe-based logic analyzer module is engineered for working with double data rate memory systems, application-specific ICs, A/D converters, and FPGAs.



9 hours ago

The KiRay 100 from E Instruments is a non-contact, portable infrared thermometer that features a temperature range from -50 to 800 C. The device features adjustable emissivity and laser sighting.

Hidden's plasma monitor uses three pressure reduction stages

9 hours ago

The Hiden Analytical HPR60-EQP is a fully-integrated system configured specifically for measurement of atmospheric and near-atmospheric plasma and reactive processes in applications including analysis of atmospheric plasma jets (APD), dielectric barrier discharges (DBD) and flame chemistry.



**Bioscience Technology
Chromatography
Techniques
Drug Discovery &
Development
Pharmaceutical Processing
Laboratory Equipment**

**Scientific Computing
Lab Design News**

Information:

[About Us](#) | [Contact Us](#) | [Advertise With Us](#)

**[Sitemap](#) | [Privacy Policy](#)
[Terms & Conditions](#)**

**©2011 Advantage Business Media -
All Rights Reserved**

Stay in Touch:

 [Newsletters](#)

 [RSS Feeds](#)

 [Mobile](#)

 [Podcasts](#)

 [Blogs](#)